Annexure-II

TIRUCHIRAPPALLI CITY MUNICIPAL CORPORATION

ADDENDUM / CORRIGENDUM TO THE BID DOCUMENT

Invitation for Bid No. 297/2024-25 dated 25.03.2025

NAME OF WORK:
SELECTION OF A CONCESSIONAIRE FOR ESTABLISHMENT OF 250 TPD SOLID WASTE BASED AUTOMATED MATERIAL RECOVERY FACILITY (AMRF) UNDER PPP MODE ON DESIGN, BUILD, FINANCE, OPERATE AND TRANSFER (DBFOT) BASIS FOR A PERIOD OF 21 YEARS UNDER SBM (U) 2.0

Pre-Bid meeting held on 21.02.2025.

S. No	Clause	As given in RFP/ Concession Agreement	To be read as
1	Clause 7 of RFP, Scope of Work, Operational Phase, point no 14, page no 28	In case the domestic hazardous waste is received along with dry waste at the MRF plant, the same must be disposed of through the incinerator installed within the premises of the facility.	In case the sanitary waste such as napkins, sanitary towels, or tampons, condoms, incontinence sheets and any other similar waste is received along with dry waste at the MRF plant, the same must be disposed of through the incinerator installed within the premises of the facility.
2	Schedule A of Concession Agreement-Site of the project and scope of work, Operational Phase, point no 14, page no 174	In case the domestic hazardous waste is received along with dry waste at the MRF plant, the same must be disposed of through the incinerator installed within the premises of the facility.	In case the sanitary waste such as napkins, sanitary towels, or tampons, condoms, incontinence sheets and any other similar waste is received along with dry waste at the MRF plant, the same must be disposed of through the incinerator installed within the premises of the facility.
3	Article I of Concession Agreement-DEFINITIONS AND INTERPRETATION, 1.1 Definition, Acceptable Waste, page no 13	"**Acceptable Waste**" means segregated dry waste with impurities but specifically excludes prohibited waste i.e. domestic hazardous waste, sanitary waste and C&D waste.	"**Acceptable Waste**" means segregated dry waste with impurities but specifically excludes prohibited waste i.e. Industrial hazardous waste, and C&D waste.

4	Clause 8 of RFP, Key Performance Indicators, Point no 5, Quality of waste, page no 31	Biomedical waste and hazardous waste shall be transported to incinerator by Authority if found.	Domestic Biomedical waste and domestic hazardous waste such as discarded paint drums, pesticide cans, CFL bulbs, tube lights, expired medicines, broken mercury thermometers, used batteries, used needles and syringes and contaminated gauge, etc., generated at the household level, if found shall be stored & handed over to the authorized vendor as prescribed by State PCB by the bidder.
5	Article 23 of Concession Agreement-KEY PERFORMANCE INDICATORS, 23.2-Key Performance Indicators,Point No 5-Quality of waste, page no 113	Biomedical waste and hazardous waste shall be transported to incinerator by Authority if found	Domestic Biomedical waste and domestic hazardous waste such as discarded paint drums, pesticide cans, CFL bulbs, tube lights, expired medicines, broken mercury thermometers, used batteries, used needles and syringes and contaminated gauge, etc., generated at the household level, if found shall be stored & handed over to the authorized vendor as prescribed by State PCB by the bidder.
6	Clause 8 of RFP, Key Performance Indicators, Point no 6, Waste received at MRF plant, page no 32	Authority shall be obligated to pay liquidated damages shall be calculated based on 75% of unit price quoted by the Concessionaire during bidding process but upto a maximum of Rs. 325 TPD, applied to more than 20% mixed waste for 7 consecutive days	Authority shall be obligated to pay liquidated damages shall be calculated based on 75% of unit price quoted by the Concessionaire during bidding process but upto a maximum of Rs. 325 per tonne, applied to more than 20% mixed waste for 7 consecutive days
7	Clause 8 of RFP, Key Performance Indicators, Point no 4, Quantity of dry waste, page no 31	If the Acceptable Waste Quantity falls below the guaranteed Acceptable Waste Quantity, the Authority shall be obligated to pay liquidated damages shall be calculated based on 75% of unit price quoted by the Concessionaire during bidding process but upto a maximum of Rs. 325 TPD, applied to shortfall quantity, which shall be determined on monthly average basis.	If the Acceptable Waste Quantity falls below the guaranteed Acceptable Waste Quantity, the Authority shall be obligated to pay liquidated damages shall be calculated based on 75% of unit price quoted by the Concessionaire during bidding process but upto a maximum of Rs. 325 per tonne, applied to shortfall quantity, which shall be determined on monthly average basis.

8	Article 17 of Concession Agreement-OPERATION AND MAINTENANCE, 17.7-Guaranteed Waste Liquidated Damages, Point No a- page no 92	If the Acceptable Waste Quantity falls below the guaranteed Acceptable Waste Quantity, the Authority shall be obligated to pay liquidated damages shall be calculated based on 75% of unit price quoted by the Concessionaire during bidding process but upto a maximum of Rs. 325 TPD, applied to shortfall quantity, which shall be determined on monthly average basis.	If the Acceptable Waste Quantity falls below the guaranteed Acceptable Waste Quantity, the Authority shall be obligated to pay liquidated damages shall be calculated based on 75% of unit price quoted by the Concessionaire during bidding process but upto a maximum of Rs. 325 per tonne, applied to shortfall quantity, which shall be determined on monthly average basis.
9	Article 23 of Concession Agreement-KEY PERFORMANCE INDICATORS, 23.2-Key Performance Indicators, Point No 4-Quantity of dry waste, page no 113	If the Acceptable Waste Quantity falls below the guaranteed Acceptable Waste Quantity, the Authority shall be obligated to pay liquidated damages shall be calculated based on 75% of unit price quoted by the Concessionaire during bidding process but upto a maximum of Rs. 325 TPD, applied to shortfall quantity, which shall be determined on monthly average basis	If the Acceptable Waste Quantity falls below the guaranteed Acceptable Waste Quantity, the Authority shall be obligated to pay liquidated damages shall be calculated based on 75% of unit price quoted by the Concessionaire during bidding process but upto a maximum of Rs. 325 per tonne, applied to shortfall quantity, which shall be determined on monthly average basis
10	Article 23 of Concession Agreement-KEY PERFORMANCE INDICATORS, 23.2-Key Performance Indicators, Point No 6-Waste Received at MRF Plant, page no 113	Authority shall be obligated to pay liquidated damages shall be calculated based on 75% of unit price quoted by the Concessionaire during bidding process but upto a maximum of Rs. 325 TPD, applied to more than 20% mixed waste for 7 consecutive days.	Authority shall be obligated to pay liquidated damages shall be calculated based on 75% of unit price quoted by the Concessionaire during bidding process but upto a maximum of Rs. 325 per tonne, applied to more than 20% mixed waste for 7 consecutive days.

Sd/-

For Commissioner
Tiruchirappalli City Corporation